

MC3200 Series

EMC Configuration and Accessories Guide

Designed to assist customers and partners with model and configuration guidance





Contents

- I. MC3200 Series Configuration Guide
- II. MC3200 Series Accessories



MC3200 Configuration Guide





MC3200 Series

CONFIGURATION & ACCESSORY GUIDES are available on The Source and PartnerCentral

For access to additional product information including this guide, please visit: www.zebra.com/mc3200

 All MC3200 configurations are compatible and backward compatible with all existing accessories including: Cradles, Holsters and Cables.

Find Product Information in the EMC Product Portfolio on The Source and PartnerCentral



MC3200 Third party accessories:

- www.atpinc.com
- www.portsmith.com



MC3200 Configuration Matrix

CONFIGURATION OPTIONS:	MC31XX	OPTION	DESCRIPTION
Radio Option	MC32Nx-xxxxxxxxx	N	WLAN 802.11 a/b/g/n
WAN	MC32x0-xxxxxxxxx	0	None
Form Factor	MC32xx-Rxxxxxxxx	R	Rotating (Turret) Head
	MC32xx-Sxxxxxxxx	S	Straight Shooter
	MC32xx-Gxxxxxxxx	G	Gun
Data Capture options (Scanner)	MC32xx-xLxxxxxxx	L	SE965 1D Standard Range Scan Engine
	MC32xx-xlxxxxxxx	1	SE4750 Standard Range Array Imager
	MC32xx-xDxxxxxxx	D	SE4750 DPM
	MC32xx-xFxxxxxxx	F	SE4750 Medium Range
Keyboard Options	MC32xx-xx2xxxxxx	2	28 Key Numeric Keypad
	MC32xx-xx3xxxxxx	3	38 Key Shifted Alpha Keypad
	MC32xx-xx4xxxxxx	4	48 Key Alpha Numeric Keypad
Battery Options	MC32xx-RxxSxxxxx	S	Standard capacity 2740mAH (only with Rotating Head)
	MC32xx-xxxHxxxxx	Н	High capacity 4800mAH
Operating System options	MC32xx-xxxxCxxxx	С	Microsoft Windows CE 7.0
	MC32xx-xxxxHxxxx	Α	Android 4.1 Jelly Bean with Mx (only in Premium Model)
Memory Options	MC32xx-xxxxxLxxx	L	512 MB RAM / 2 GB Flash (Standard Model)
	MC32xx-xxxxxHxxx	Н	1 GB RAM / 4 GB Flash (Premium Model only)
Operating System Language	MC32xx-xxxxxxXxx	E,C,J,K	English, Simplified Chinese, Japanese, Korean
Additional Features	MC32xx-xxxxxxx0x	0	None
	MC32xx-xxxxxxxlx	1	Interactive Sensing Technology (IST) (Only in Premium Models)
Country or Custom Code	MC32x-xxxxxxxxA	Α	World Wide ROHS
	MC32xx-xxxxxxxx TN	TN	Tunisia



MC3200 Configurations Available



MC3200 Variants

Standard

Operating System

• Windows CE 7.0

Memory

• 512 MB RAM / 2 GB Flash

Form Factors

- Straight Shooter
- Rotating Head (Turret)
- Gun

Premium

Operating System

- Windows CE 7.0
- Android 4.1 Jelly Bean with Mx

Memory

• 1 GB RAM / 4 GB Flash

Form Factors

- Straight Shooter
- Rotating Head (Turret)
- Gun

Added features

• Interactive Sensor Technology (IST)



MC3200 Data Capture Methods

Scan Engines

SE965 1D Standard Range Scan Engine

SE4750 1D/2D Standard Range Array Imager



SE965 1D Standard Range Scan Engine





SE4750Standard Range Array Imager



MC3200 Keypad Options

28 Key Numeric Telephony

Large numeric keys 10 Shifted function keys Alpha characters by SMS style



38 Key Shifted Alpha

Calculator style numeric 10 Direct function keys Shifted Alpha



48 Key Alpha-Numeric

Full alpha-numeric keypad 13 Shifted function keys





MC3200 Operating Systems



Android 4.1 Jelly Bean



Microsoft Windows
Embedded Compact 7.0

Operating System Configurations

Android 4.1 Jelly Bean (Premium)

Microsoft Windows Embedded compact 7.0 (Standard or Premium)



MC3200 Accessories Guide





Step 1: Choosing a charging method



Single Slot Cradle:

CRD3000-1001RR

Single slot USB / RS232 Cradle, w/spare

battery charging

Single Slot Cradle Kits:

(INTERNATIONAL)

CRD3000-101RES Includes: Single Slot Cradle CRD3000-1001RR and Power Supply PWRS-14000-148R. (Must purchase country specific 3 wire AC Cord separately)

(US)

CRD3000-100RES Includes: Single Slot Cradle CRD3000-1001RR, Power Supply PWRS-14000-148R and US AC Cord 23844-00-00R.



The single slot cradle can charge all the MC31 configurations (straight shooter, rotating head and gun), charges a spare battery and has USB connection.

Additional Accessories for Single Slot Cradle



25-68596-01R

USB Cable for the cradle to the host system



25-63852-01R

Provides serial communication between the single slot cradle and a host computer.



PWRS-14000-148R

Power supply for single slot cradle: 100-240 VAC, 12VDC, 4.16A



23844-00-00R

US AC line cord, 7.5 feet long, grounded, three wire for power supplies.



25-63856-01R

Modem adapter cable used to connect the MDM9000-100R to the single slot cradle



Step 1: Choosing a charging method



4 Slot Cradles:

CHS3000-4001CR 4 Slot Charge Only Cradle

CRD3X01-4001ER 4 Slot Ethernet Cradle

4 Slot Cradle Kits:

CRD3000-400CES

(US)

Includes: 4 Slot Charge Only Cradle CHS3000-4001CR, Power Supply PWRS-14000-241R, DC Cord 50-16002-029R and

US AC Cord 23844-00-00R.

CRD3000-401CES (INTERNATIONAL)

Includes: 4 Slot Charge Only Cradle CHS3000-4001CR, Power Supply PWRS-14000-241R and DC Cord 50-16002-029R. Order country specific 3 wire AC Cord separately

CRD3X01-401EES (INTERNATIONAL)

Includes:4 Slot Ethernet Cradle CRD3X01-4001ER, Power Supply PWRS-14000-241R, DC Cord 50-16002-029R. Order country specific 3 wire AC Cord separately.

Additional Accessories for 4 slot Cradles



PWRS-14000-241R

Power supply for 4 slot cradles:90-264 VAC, 12VDC, 9A



50-16002-029R

DC cable provides power from the power supply to 4 slot charge only and Ethernet cradles



23844-00-00R

US AC line cord, 7.5 feet long, grounded, three wire for power supplies.



KT-136648-01R

Wall mount bracket for 4 slot cradles.



Step 2: Choose battery / battery charging accessories

2470 mAh Battery



BTRY-MC32-01-01

Standard capacity battery, 2470 mAh
Pack of 10 spare batteries is also available:
(BTRY-MC32-01-10)

4800 mAh Battery



BTRY-MC32-02-01

High-capacity battery, 4800 mAh Pack of 10 spare batteries is also available: (BTRY-MC32-02-10)

4 Slot Battery Charger



SAC7X00-4000CR

4 Slot battery charger, for standard and high-capacity batteries.

SAC-MC32-400US-01

US kit. Includes: 4-slot battery charger SAC7X00-4000CR, battery adapters ADP-MC32-CUP0-04, power supply PWRS-14000-148R and US AC line cord 23844-00-00R.

SAC-MC32-400INT-01

International kit. Includes: 4-slot battery charger SAC7X00-4000CR, battery adapters ADP-MC32-CUP0-04 and power supply PWRS-14000-148R, must purchase country specific grounded AC line cord separately.

Accessories for battery charger:



PWRS-14000-148RPower supply for 4-Slot Battery Charger



23844-00-00R

US AC line cord, 7.5 feet long, grounded, three wire for power supplies.



ADP-MC32-CUP0-04

Battery adapter cup for spare battery charger. (4-pack)



Step 3: Choose charging and communication cables

USB/Charge Cable



25-67868-03R

USB communication and charge cable, must purchase power supply PWRS-14000-249R and ungrounded AC line cord separately.

RS232/Charge Cable



25-67866-03R

RS232 communication and charge cable, must purchase power supply PWRS-14000-249R and ungrounded AC line cord separately.

Power Cable



25-70103-03R

Power only cable, must purchase power supply PWRS-14000-249R and un-grounded AC line cord separately.

Printer Cable



25-91513-01R

Printer cable, to be used with Zebra QL series.

Vehicle Charge Cable



VCA3000-01R

Auto charge cable (cigarette lighter) 12/24V



Step 4: Choose carrying accessories

Fabric Holster



11-69293-01R

Fabric holster, includes shoulder strap. It can also be used with a belt. For rotating head and straight shooter configurations.

Plastic Holster



8710-050005-01R

Plastic holster, secures to a belt. For rotating head and straight shooter configurations.

Hand Strap



SG-MC3123243-01R

Spare hand strap for rotating head and straight shooter configurations (pkg 1).

Shoulder strap 58-40000-007R

Universal shoulder strap for holster.



Belt for holster 11-08062-02R

Universal belt for fabric holster.



Protective Boots



BOOTSCANTURRETR

Protective boot for rotating head configurations. Includes terminal boot (11-72097-04R) and turret cup (11-72096-04R).



Step 4: Choose carrying accessories

SG-MC3021212-01R Fabric holster, secures to a belt or a shoulder strap. For gun configurations.









Step 5: Choose other accessories

Modem Dongle

MDM9000-100R Provides modem connectivity through

single slot USB Cradle

KT MC3000SERMO
 DEMR
 Provides modem connectivity through single slot USB Cradle. Includes modem dongle MDM9000-100R and

cable connector 25-63856-01R.

Audio

RCH51 Rugged wired headset designed for

use in nearly any environment

25-124389-01R RCH51 headset adapter cable to

standard 3-pole 2.5mm barrel jack.

For MC30XX models.

25-124411-02R RCH51 headset adapter cable to

standard 3-pole 2.5mm barrel jack.

For MC31XX models



MDM9000-100R Modem Dongle

For modem connectivity through the cradle order 25-63856-01R





Must purchase headset adapter cable separately, 25-124387-02R



25-124389-01R Headset adapter cable for MC30XX



25-124411-02R Headset adapter cable for MC31XX



Step 5: Choose other accessories

Plastic Screen Guards

Pack of 3 screen guards KT-82057-03R

Hand Straps Accessories

KT-97258-01R Plastic button that attaches the hand strap to the gun configurations.

Stylus Kits

KT-73440-01R Non-elastic tether kit- Pack of 3 11-43912-03R Tethered stylus for brick configurations-Pack of 3 Tethered stylus for brick configurations-11-43912-50R Pack of 50 KT-81680-03R Tethered stylus for gun configurations-Pack of 3 KT-81680-50R Tethered stylus for gun configurations-

Pack of 50

KT-82057-03R Plastic screen guards




KT-97258-01R Plastic button for gun hand strap





11-43912-03R Replacement stylus for brick configurations







Step 5: Choose other accessories

Ethernet Adapter

USB to Ethernet adapter with no PSA1U1E

separate power supply requirement.



PSA1U1E Portsmith in-line Ethernet to **USB** Adapter

Flash Memory Cards

AF1GUDI-MOT1-1P 1GB Industrial Grade SLC microSD

flash memory card. AF1GUDI-MOT1-10P - Pack of 10

AF2GUDI-MOT1-1P 2GB Industrial Grade SLC microSD

> flash memory card. AF2GUDI-MOT1-10P - Pack of 10

AF4GUDI-MOT1-1P

4GB Industrial Grade SLC microSD flash memory card. AF4GUDI-

MOT1-10P - Pack of 10

AF8GUDI-MOT1-1P 8GB Industrial Grade SLC microSD

flash memory card. AF8GUDI-

MOT1-10P - Pack of 10









ATP Flash Memory Cards 1GB, 2GB, 4GB and 8GB