



WFB

Optimized Size and Shape for Apparel Applications

SMARTRAC's WEB inlays and tags are designed for the unique identification of items such as apparel and electronics. They are particularly suitable for item-level retail applications, offering high performance and best-in-class orientation sensitivity.

WEB products are compact and ideally shaped for use as apparel hangtags, providing high read reliability with optimum performance, resulting in low fixed infrastructure and total applied costs. Retailers and brand owners can deploy these solutions globally for apparel, as they comply with current frequency regulations in the US (FCC), EU (ETSI) and Asia. SMARTRAC's WEB inlays and tags can be easily converted into hangtags or care labels, and are available in in dry, wet and paper tag delivery formats.

They are equipped with the Impinj Monza R6 and Monza R6-P chip that features an Autotune function, which helps WEB to work at peak efficiency, even in rapidly changing environments. WEB inlays and tags with the Monza R6 chip offer unique TID and enable pre-serialized EPC. Inlays with Monza R6-P offer additional features such as add-on user memory and on-demand memory configuration as well as a kill function and easy access control to change tag information for store data, if required.

Additionally, the inlays and tags are suitable for full integration into the SMART COSMOS Cloud Services platform.

SMARTRAC's inlays and tags are compliant with ISO 9001:2015 Quality Management and ISO 14001:2015 Environmental Management, which ensure a reliable and state-of-the-art product that meets a variety of application needs, especially in the retail environment.

Overview

Operating Frequency 860 - 960 MHz

Integrated Circuit (IC) Impini Monza R6 & R6-P

Antenna Size

 $50 \times 30 \text{ mm} (1.97 \times 1.18 \text{ in})$

Die-cut Size

 $54 \times 34 \text{ mm} (2.13 \times 1.34 \text{ in})$

International Standards

▶ EPC Class 1 Gen 2 ISO 18000-6C

Application Areas

- ▶ Brand protection
- Retail
- Supply chain management

Inlays and Tags smartrac-group.com




WEB

Optimized Size and Shape for Apparel Applications

| Technical Features | | | |
|---------------------------|---|-----------|------------|
| IC + Memory | Size | Format* | Sales Code |
| Impinj Monza R6 | $50 \times 30 \text{ mm} / 1.97 \times 1.18 \text{ in}$ | Inlay | 3005837 |
| 96 bit | $54 \times 34 \text{ mm} / 2.13 \times 1.34 \text{ in}$ | Paper Tag | 3006074 |
| Impinj Monza R6-P | 50 × 30 mm / 1.97 × 1.18 in | Dry | 3006082 |
| 128 bit EPC + 32 bit user | $54 \times 34 \; mm$ / $2.13 \times 1.34 \; in$ | Wet | 3006083 |
| 96 bit EPC + 64 bit user | $54 \times 34 \text{ mm} / 2.13 \times 1.34 \text{ in}$ | Paper Tag | 3006084 |
| Web Width | 60 mm / 2.4 in | | |
| Operating Temperature | -40 °C to +85 °C / -40 °F to +185 °F | | |
| Adhesive | Acrylic, water borne adhesive (wet), Solvent-free permanent adhesive (tag) | | |
| Oty/Reel | 8,000 pcs | | |
| Core Size | 76 mm / 3 in | | |
| Shelf Life | +20 °C, 50 % RH / 68 °F, 50 % RH - minimum 2 years from the date of manufacturing | | |
| | | | |

*Note: Other formats are availabe upon request.

Read Range (m) Theoretical read range (m) Frequency (MHz)



All the graphs are indicative: performance in real life applications may vary. The data has been determined based on calculations for transmitters with a 2W ERP output power level.

SMARTRAC N.V. · Strawinskylaan 851 · 1077 XX Amsterdam · The Netherlands

Phone: +31 20 30 50 150 · Fax: +31 20 30 50 155

Contact: Sales & Customer Service

www.smartrac-group.com/contact

HAI OGEN-EREE

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. info@smartrac-group.com

