

Easy, Accurate, Trusted.



## TruCheck Rover: Portable Hand Held 1D/2D Barcode Verifier

Now you can verify all your 1D and 2D symbols with a portable hand-held verifier from Webscan, the leader in high performance barcode verification.

The TruCheck Rover™ from Webscan provides a fully integrated 2D CCD imager, integrated lighting, battery and touchscreen for verification on the go.

To verify 1D or 2D symbols, simply position the imager over a barcode and press the button. No swiping or manual scanning. Clear and concise results are displayed, stored automatically, and available for printing later. You are guaranteed the most accurate and repeatable verification results.

### Calibration and traceability

All Webscan systems are calibrated and fully traceable to NIST standards. Calibration is performed by the user in a matter of seconds. You always know that your system is measuring accurately with Webscan technology.

### Meets requirements of every industry

#### **GS1 Quality and Data Validation**

Verify that your 1D and 2D symbols comply with all GS1 requirements. Print quality is verified according to ISO 15415 and ISO 15416. Data format failures, which are all-too-common in GS1 barcodes, are clearly spelled out to make corrective action easy.

#### **QR Codes for Marketing and Cell Phone Reading**

QR Codes are emerging everywhere. Verify that your QR Codes are constructed and printed correctly in accordance with ISO 18004 and ISO 15415. Webscan verification systems will ensure that your marketing efforts are effective because your QR Codes are in compliance with industry standards for readability.

#### **Healthcare and Pharmaceutical Regulations**

These applications are very sensitive to accuracy and dependability. Verify symbol quality and data format according to GS1 specifications and ISO 15415 to ensure compliant and readable symbols for UDI and pharmaceutical barcode requirements.

### Every application. Every time.

Webscan was founded in 1995 with one singular goal: *to design and build the world's most accurate barcode verification systems.* Through optical, mechanical, and electronic technologies that power its offline and online systems, Webscan has earned an international reputation for delivering ease-of-use and unsurpassed accuracy, across every barcode application, every time. Today, leading packaging producers, defense, pharmaceutical companies, and retailers worldwide trust Webscan to be sure every barcode that goes to market complies with industry standards.





## SPECIFICATIONS

### Symbologies:

Data Matrix, QR Code, Aztec Code, GS1-DataBar (formerly RSS), GS1-Composite Symbology, UPC/EAN, Code 128, ITF-14, I25, Code 39, TLC-39, Codabar, PDF 417, Micro PDF 417 (limited to Field of View size), Pharmacode, MSI/Plessey

### Field of View Options and X-Dimension Capability

Version	Field of View	MinXDim
Rover Standard	2" x 1 1/2" (51 x 38 mm)	8.0 mil
Rover Wide Angle	3" x 2 1/4" (76.5 x 57 mm)	8.0 mil

### Options:

- Locking Power Supply
- Wireless Charging Cradle
- Thermal Strip Printer
- Calibration and Conformance Test Cards
- Extended Service Plans

### Light Source:

- Narrow band 660nm LED

### Features:

- CCD Imager with Integrated Illumination
- ISO grading, AIM DPM (45Q only)
- Data export to printer, PDF file
- Software easily upgradeable
- Calibrated to NIST traceable standards
- Parses and validates industry standard data formats
- Variable aperture size

### Decoding/Grading Analysis Specifications:

Full ISO 15415/6 Grading A, B, C, D, F: Unused Error Correction, Modulation, Axial non-uniformity, Grid non-uniformity, Symbol Contrast, Reference Decode, Finder Pattern Damage, Bar Width Growth (X and Y), Quiet Zone, AIM DPM Grading: Cell Contrast, Cell Mod.

### Physical Characteristics:

- Dimensions (HxWxD) 7.5" x 3.75" x 6"
- Weight: 38oz (2 lb. 6 oz.)

### Environment:

- Temperature: 0-40°C
- Humidity: 5% - 95% noncondensing

### Conformance:

- ISO 15416, 15426-1, 15415, 15426-2
- MIL-STD 130 (L through N)
- ISO 16022, 18004, 24778
- ISO/IEC TR29158 AIM DPM (only 45Q)

For more information, please contact:

## Small, Battery Powered and Portable

The TruCheck Rover™ is battery powered for portability. With integrated processing and touch screen display, it is self contained and easy to move around to where it is needed. No cables or cords. Its battery can even be recharged with an optional cordless charger.

## Compact, but Full Featured

The TruCheck Rover™ verifies linear (1D) and 2D matrix symbols in full accordance with industry standards, including ISO/IEC 15415, 15416 and AIM DPM (45Q illumination only). This is not a limited barcode assessment tool, but a full featured verifier. The design ensures that the image is calibrated and in focus when you place the bottom imaging surface of the Rover in contact with the barcode.

## Users and Jobs Functionality

A permissions-based system, the Rover now features both User and Job functionality. Users can securely login with their own numeric password and administrators can manage user access to different features. Additionally, administrators can track verifications and reports by user. A new Job Details feature allows settings to be stored so that verifications are precise and reproducible. Batch numbers can be assigned to each job for traceability.

## Part of a Larger Picture

Webscan's broader product line incorporates portable and desktop software enabled hand-held and fixed mount versions. Choose whichever version is right for you, without compromising ease-of-use, or accuracy. With Webscan you know your codes are being verified properly and your customers will recognize your commitment to barcode quality.



Cognex Corporation (Formerly Webscan, Inc.)  
1341 Sherman Drive | Unit D | Longmont, CO 80501  
Tel 303.485.6811 | Fax 303.485.6353  
[www.webscaninc.com](http://www.webscaninc.com)