

EDA56 WI-FI6

6PIN WLAN Mobile Computer

The Honeywell ScanPal™ EDA56 WLAN is a Wi-Fi 6 mobile computer that provides higher data rates and lower latency even in a densely connected environment. The EDA56's design is ideal for retail, manufacturing, logistics, and public service applications.

The ScanPal EDA56 is one of Honeywell's ScanPal series mobile computers equipped with the Qualcomm Snapdragon octa-core 2.0GHz processor and robust wireless connectivity through Wi-Fi 6, NFC, and Bluetooth 5.1.

With Wi-Fi 6 technology built-in, the EDA56 provides a faster, better, and stronger connection to the network. Compared to Wi-Fi 5 models, EDA56 as the client devices enjoy a big increase in speed and support multiuser by OFDMA.

The EDA56 incorporates the all-new and powerful Honeywell S0703 scan engine, which enables fast reading of damaged or incomplete barcodes.

Outfitted with a rugged housing and IP67 rated sealing, the EDA56 can operate under rough usage and demanding environmental conditions. A 4500mAh battery allows for prolonged and uninterrupted use between each charge***. The battery is also easily removable and supports quick charge 3.0.

The EDA56 is built on Android 11 and can be upgraded to Android 13* minimizing maintenance issues and ensuring long-term feature support. It is validated under AER (Android Enterprise Recommended) **, a Google-led initiative that helps businesses confidently select, deploy, and manage Android devices and services best suited to their needs.



Fig. 1 EDA56 WI-Fi6

FEATURES AND BENEFITS



Embedded with the latest Wi-Fi 6 technology, the ScanPal EDA56 increases data throughput and provides a better experience for voice or video communications even in a highly dense connected environment.



Powerful hardware platform based on the Qualcomm SM6115 octa-core processor, 4GB/64GB, and 6GM/128GB memory options to handle different workloads.



Large 5.5-inch full touch display screen. Lightweight and pocket-fitting IP67 design that can withstand rugged usage in tough field service environments.



Removeable 4500mAh lithium-ion battery that can last for upto 12 hours of straight use. ***



Easily scan barcodes, even damaged ones, with the Honeywell enterprise level S0703 imager. Document images with the 13MP auto-focus camera and make video calls with the 5MP front camera

A prominent 5.5-inch Gorilla Glass touch screen interface and ergonomic industrial design help to greatly improve user comfort and experience. Its lightweight and slim design means that users can easily operate the device with one hand, carry it in their pockets, and stay comfortable all day.

The 13-megapixel rear camera allows users to capture high-resolution images for quality image documentation, while the 5-megapixel front camera allows users to engage in video communication.

The EDA56 can be easily paired with Honeywell's IH25/IH40 RFID readers. Users can quickly capture large volumes of RFID information in applications such as retail and warehouse inventory tracking.

For existing Honeywell mobile computer users, the EDA56 can be backward-compatible with existing accessories for the ScanPal EDA52. This will further help our existing customers reduce their total cost of ownership (TCO).

Several value-added software also enhances EDA56 Wi-Fi 6 models for different applications.

Honeywell Operational Intelligence is a software offering that goes beyond simply providing data. It takes it one step further by analyzing that data and converting it to actionable insights - even those you didn't know were there. In addition to providing data-driven insights, Honeywell Operational Intelligence enables automation that helps manage workflows and disruptions in real time.

Honeywell Smart Talk provides unified communications to overcome the problem of fragmented communications and empowers teams with enterprise-grade security for voice calling, text and media messaging, and user presence - all from one device.

EDA56 Wi-Fi6 Mobile Computer Technical Specifications

MECHANICAL

Dimensions: 159mm x 75 mm x 14.4 mm
(6.26 in x 2.95 in x 0.57 in)

Weight: 258g

Display Size: Gorilla Glass 5, 5.5-inch

Resolution: 1440 x 720 High Definition

Backlight: LED

Touchscreen: Multi-touch capacitive
(CTP), GFF

Hard Keys: 5 side keys for volume up/
down, right and left scan keys and power
on/off

ENVIRONMENTAL

Operating Temperature: -20°C to +50°C
(-4°F to +122°F)

Storage Temperature: -30°C to +70°C
(-22°F to 158°F)

Humidity: 5% to 90% (non-condensing)

Drop: Multiple 1.3m (4.3ft) per MIL-
STD 810G drops to concrete at room
temperature; Multiple 1.5m (5ft) per
MIL-STD 810G drops with rubber boot
concrete at room temperature

Tumble: 550 times at 0.5 m (1.64 ft)

Environmental Sealing: IP67

Electrostatic Discharge (ESD): ±8 kV
direct; ±15 kV air

SYSTEM ARCHITECTURE

Processor: Qualcomm Snapdragon
SM6115, Quad high-performance; Kryo
cores 2.0 GHz +Quad low-power; Kryo
cores 1.8 GHz

Memory: 4 GB RAM/64 GB Flash; 6 GB
RAM/128 GB Flash

Operating System: Android 11, and
upgradeable to Android 13*

Storage Expansion: MicroSD (up to 128
GB)

Rear Camera: 13-megapixel color camera

Front Camera: 5-megapixel color camera

PC Interface: 6 pin bottom connection

Battery: Li-Ion, 3.8 V, 4,500 mAh,
removable

Real-Time Clock (RTC): 10 min backup
via super-cap

Charging Time: less than 3.5 hours

Battery Runtime: more than 12 hours

Scan Engine: Honeywell S0703 Slim
Imager (1D/2D barcode symbologies);
Non-imager version (optional)

LED

Battery Status Indicator: red/green/blue

Scan Indication: red/green

Sensors: acceleration sensor, light sensor,
and proximity sensor

Localization & Language: Worldwide
English

WIRELESS CONNECTIVITY

WLAN (Wi-Fi certified): IEEE 802.11
a/b/g/n/ac/ax, 2*2 MU-MIMO

WLAN Security: OPEN, WEP, WPA/
WPA2/WPA3 (Personal and Enterprise)

WLAN Supported EAP: TLS, PEAP, TTLS,
PWD, LEAP, CCX compliant

Bluetooth: V5.1 Bluetooth and BLE

NFC: Integrated Near Field
Communication

ACCESSORIES

Single Charging Home Base: Charges
one terminal and one replaceable battery
simultaneously

Backwards Adaptor Cup: Be compatible
with EDA50/51 single charging dock

Standard Battery Pack

Quad Bay Battery Charger

RFID Bracket

Scan Handle

Rubber Boot

Wrist Strap

Hand Strap

Screen Film

Single Charging Dock: Charges one
terminal

Quad Bay Charging Base: Charges four
terminals simultaneously

UNIVERSAL ACCESSORIES

EDA52 Non-booted Net Base: Charges
four terminals simultaneously with
ethernet communication

**EDA52 Non-booted Ethernet
Base:** Charges one terminal and one
battery simultaneously with ethernet
communication

EDA52 Non-booted Display Dock:
Charges one terminal with external display
and ethernet communication USB Cup

Universal Cup: Be compatible with CT4X
universal docks

WARRANTY

One-year factory warranty

For more information about Warranty,
please visit: [https://sps.honeywell.com/
us/en/support/productivity/warranties](https://sps.honeywell.com/us/en/support/productivity/warranties)

For a complete listing of all compliance
approvals and certifications, please visit
www.honeywellaidc.com/compliance.

For a complete listing of all supported barcode
symbologies, please visit
www.honeywellaidc.com/symbologies.

*Android 13 is pending for the confirmation
from Qualcomm & Google.

** Find the AER rugged devices, please
visit: [https://androidenterprisepartners.
withgoogle.com/](https://androidenterprisepartners.withgoogle.com/)

*** Battery life depends on
usage and other factors.

NOTE: Android, Google, Qualcomm,
Snapdragon and Gorilla Glass are
trademarks or registered trademarks
of their respective owners.

For more information

sps.honeywell.com

Honeywell Safety and Productivity Solutions

855 S Mint St
Charlotte, NC 28202
800-582-4263
www.honeywell.com

EDA56 WI-FI6

2PIN WLAN Mobile Computer

The Honeywell ScanPal™ EDA56 WLAN is a Wi-Fi 6 mobile computer that provides higher data rates and lower latency even in a densely connected environment. The EDA56's design is ideal for retail, manufacturing, logistics, and public service applications.

The ScanPal EDA56 is one of Honeywell's ScanPal series mobile computers equipped with the Qualcomm Snapdragon octa-core 2.0GHz processor and robust wireless connectivity through Wi-Fi 6, NFC, and Bluetooth 5.1.

With Wi-Fi 6 technology built-in, the EDA56 provides a faster, better, and stronger connection to the network. Compared to Wi-Fi 5 models, EDA56 as the client devices enjoy a big increase in speed and support multiuser by OFDMA.

The EDA56 incorporates the all-new and powerful Honeywell S0703 scan engine, which enables fast reading of damaged or incomplete barcodes.

Outfitted with a rugged housing and IP67 rated sealing, the EDA56 can operate under rough usage and demanding environmental conditions. A 4500mAh battery allows for prolonged and uninterrupted use between each charge***. The battery is also easily removable and supports quick charge 3.0.

The EDA56 is built on Android 11 and can be upgraded to Android 13* minimizing maintenance issues and ensuring long-term feature support. It is validated under AER (Android Enterprise Recommended) **, a Google-led initiative that helps businesses confidently select, deploy, and manage Android devices and services best suited to their needs.



Fig. 1 EDA56 WI-Fi6

FEATURES AND BENEFITS



Embedded with the latest Wi-Fi 6 technology, the ScanPal EDA56 increases data throughput and provides a better experience for voice or video communications even in a highly dense connected environment.



Powerful hardware platform based on the Qualcomm SM6115 octa-core processor, 4GB/64GB, and 6GM/128GB memory options to handle different workloads.



Large 5.5-inch full touch display screen. Lightweight and pocket-fitting IP67 design that can withstand rugged usage in tough field service environments.



Removeable 4500mAh lithium-ion battery that can last upto 12 hours of straight use on a single full charge. ***



Easily scan barcodes, even damaged ones, with the Honeywell enterprise level S0703 imager. Document images with the 13MP auto-focus camera and make video calls with the 5MP front camera.

A prominent 5.5-inch Gorilla Glass touch screen interface and ergonomic industrial design help to greatly improve user comfort and experience. Its lightweight and slim design means that users can easily operate the device with one hand, carry it in their pockets, and stay comfortable all day.

The 13-megapixel rear camera allows users to capture high-resolution images for quality image documentation, while the 5-megapixel front camera allows users to engage in video communication.

The EDA56 can be easily paired with Honeywell's IH25/IH40 RFID readers. Users can quickly capture large volumes of RFID information in applications such as retail and warehouse inventory tracking.

For existing Honeywell mobile computer users, the EDA56 can be backward-compatible with existing accessories for the ScanPal EDA52. This will further help our existing customers reduce their total cost of ownership (TCO).

Serval value-added software also enhances EDA56 Wi-Fi 6 models for different applications.

Honeywell Operational Intelligence is a software offering that goes beyond simply providing data. It takes it one step further by analyzing that data and converting it to actionable insights - even those you didn't know were there. In addition to providing data-driven insights, Honeywell Operational Intelligence enables automation that helps manage workflows and disruptions in real time.

Honeywell Smart Talk provides unified communications to overcome the problem of fragmented communications and empowers teams with enterprise-grade security for voice calling, text and media messaging, and user presence - all from one device.

EDA56 Wi-Fi6 2PIN Mobile Computer Technical Specifications

MECHANICAL

Dimensions: 159mm x 75 mm x 14.4 mm
(6.26 in x 2.95 in x 0.57 in)

Weight: 258g

Display Size: Gorilla Glass 5, 5.5-inch

Resolution: 1440 x 720 High Definition

Backlight: LED

Touchscreen: Multi-touch capacitive
(CTP), GFF

Hard Keys: 5 side keys for volume up/
down, right and left scan keys and power
on/off

ENVIRONMENTAL

Operating Temperature: -20°C to +50°C
(-4°F to +122°F)

Storage Temperature: -30°C to +70°C
(-22°F to 158°F)

Humidity: 5% to 90% (non-condensing)

Drop: Multiple 1.3m (4.3ft) per MIL-
STD 810G drops to concrete at room
temperature; Multiple 1.5m (5ft) per
MIL-STD 810G drops with rubber boot
concrete at room temperature

Tumble: 550 times at 0.5 m (1.64 ft)

Environmental Sealing: IP67

Electrostatic Discharge (ESD): ±8 kV
direct; ±15 kV air

SYSTEM ARCHITECTURE

Processor: Qualcomm Snapdragon
SM6115, Quad high-performance; Kryo
cores 2.0 GHz +Quad low-power; Kryo
cores 1.8 GHz

Memory: 4 GB RAM/64 GB Flash; 6 GB
RAM/128 GB Flash

Operating System: Android 11, and
upgradeable to Android 13*

Storage Expansion: MicroSD (up to 128
GB)

Rear Camera: 13-megapixel color camera

Front Camera: 5-megapixel color camera

PC Interface: USB 2.0 with Type-C
interface

Interface Ports: 2 pin bottom connection

Battery: Li-Ion, 3.8 V, 4,500 mAh,
removable

Real-Time Clock (RTC): 10 min backup
via super-cap

Charging Time: less than 3.5 hours

Battery Runtime: more than 12 hours

Scan Engine: Honeywell S0703 Slim
Imager (1D/2D barcode symbologies);
Non-imager version (optional)

LED

Battery Status Indicator: red/green/blue

Scan Indication: red/green

Sensors: acceleration sensor, light sensor,
and proximity sensor

Localization & Language: Worldwide
English

WIRELESS CONNECTIVITY

WLAN (Wi-Fi certified): IEEE 802.11
a/b/g/n/ac/ax, 2*2 MU-MIMO

WLAN Security: OPEN, WEP, WPA/
WPA2/WPA3 (Personal and Enterprise)

WLAN Supported EAP: TLS, PEAP, TTLS,
PWD, LEAP, CCX compliant

Bluetooth: V5.1 Bluetooth and BLE

NFC: Integrated Near Field
Communication

ACCESSORIES

Single Charging Home Base: Charges
one terminal and one replaceable battery
simultaneously

Backwards Adaptor Cup: Be compatible
with EDA50/51 single charging dock

Standard Battery Pack

Quad Bay Battery Charger

RFID Bracket

Scan Handle

Rubber Boot

Wrist Strap

Hand Strap

Screen Film

Single Charging Dock: Charges one
terminal

Quad Bay Charging Base: Charges four
terminals simultaneously

WARRANTY

One-year factory warranty

For more information about Warranty,
please visit: [https://sps.honeywell.com/
us/en/support/productivity/warranties](https://sps.honeywell.com/us/en/support/productivity/warranties)

For a complete listing of all compliance
approvals and certifications, please visit
www.honeywellaidc.com/compliance.

For a complete listing of all supported barcode
symbologies, please visit
www.honeywellaidc.com/symbologies.

*Android 13 is pending for the confirmation
from Qualcomm & Google.

** Find the AER rugged devices, please
visit: [https://androidenterprisepartners.
withgoogle.com/](https://androidenterprisepartners.withgoogle.com/)

*** Battery life depends on
usage and other factors.

NOTE: Android, Google, Qualcomm,
Snapdragon and Gorilla Glass are
trademarks or registered trademarks
of their respective owners.

For more information

sps.honeywell.com

Honeywell Safety and Productivity Solutions

855 S Mint St
Charlotte, NC 28202
800-582-4263
www.honeywell.com