



EOS-420





GENERAL SPECIFICATIONS

AVAILABLE **FORMATS**

 Frequency
 FCC 902–928 MHz / ETSI 865–868 MHz / ASIA 950–956 MHz

 Protocol
 EPC Class 1 Gen 2

 EPC memory
 96 bits

 User memory


 Antenna size
 65 x 21 mm / 2.56 x 0.83 in

 Label size
 70 x 25 mm / 2.76 x 0.98 in



MECHANICAL **DIMENSIONS**

| DIMENSIONS | DESCRIPTION | METRIC | US |
|------------|---------------------|----------------|----------------|
| AxB | Antenna size | 65 x 21 mm | 2.56 x o.83 in |
| CxD | Label size | 70 X 25 mm | 2.76 x 0.98 in |
| E | Web width | 74 mm | 2.91 in |
| F | Pitch | 30 mm ± 0,5 mm | 1.18 in |
| G | Die-cut to web edge | 2 mm | o.o8 in |
| Н | Bad mark | Ø 4 mm | Ø 0.16 in |



FEED DIRECTION ----





RFID CHIP **SILICON**


| TAG SILICON | IMPINJ MONZA R6 |
|-----------------------|-----------------------------------|
| Protocol | EPC Class 1 Gen 2 |
| Operating frequency | 860-960 MHz |
| EPC memory | 96 bits |
| User memory | - |
| Operating temperature | -40°C / +85°C (-40°F / +185°F) |

PRODUCT CHARACTERISTICS

| | ADHESIVE LABEL |
|---|--|
| Antenna material | Aluminum |
| Front face material | White TT printable paper White TT printable plastic |
| Back face material | - |
| Adhesive Solvent-free permanent acrylic adhesi | |
| Final inspection 100% tested, defective tags marked | |

TAG READ **PERFORMANCE**





All the graphs are indicative: performance in real life applications may vary. The data has been determined based on calculations for transmitters with a 2W ERP output power level and an Impinj Monza R6 tag silicon.

Orientation sensivity 330,345° 3159 300 285° 75° 2709 900 105° 255 120° Test set-up Transmitter

DELIVERY **CONDITIONS**

| | ADHESIVE LABEL |
|------------------------|---------------------------|
| Packaging | Roll (single row) |
| Core inner diameter | 76 mm / 3 in |
| Roll outer diameter | 200 mm / 7.87 in |
| Unwinding direction | Labels on outside of roll |
| Standard roll size | 3500 pcs |
| Minimum order quantity | One roll |

CONTACT@TAGEOS.COM WWW.TAGEOS.COM

TAGEOS HEADQUARTERS 515, RUE ALFRED NOBE 34000 MONTPELLIER FRANCE

TAGEOS NORTH AMERICA 609 SW 8TH STREET, SUITE 600 BENTONVILLE, AR 72712

STORAGE & HANDLING PRECAUTIONS: Observe standard storage and handling practices to minimize Electro Static Discharge. Tageos reserves the right to change its products and services at any time without notice. As our products are used in circumstances beyond our control, we cannot be held liable for any damages caused through their use.

This is a general purpose product not designed or intended for any specific application. The pictures and illustrations found on this document are for illustration purposes only, and do not necessarily represent the exact products. Tageos is a registered trademark. All other trademarks are the property of their respective owners.